

Search PubMed

for Gfi-1

Go

Clear

☒ Limits

Preview Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Display Summary

Show: 20

Sort

Send to Text

Items 1-20 of 29

Page

1

of 2 Next

Entrez PubMed

Overview

Help / FAQ

Tutorial

New / Noteworthy

E-letters

PubMed Links

Journal Subscriptions

NCBI Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Current Contents

PubMed Central

FOXP

Consumer Health

Clinical Alerts

Clinical Trials.gov

PubMed Central

Privacy Policy

- ☐ 1: Hock H, Hamblen MJ, Rooke HM, Traver D, Bronson RL, Cameron S, Orkin SH. Related Articles Links

Intrinsic requirement for zinc finger transcription factor gfi-1 in neutrophil differentiation.

Immunity. 2003 Jan;18(1):109-20.

PMID: 12530980 [PubMed - in process]

- ☐ 2: Horwitz M, Benson KE, Duan Z, Person RE, Wechsler J, Williams K, Albani D, Li FQ. Related Articles Links

Role of neutrophil elastase in bone marrow failure syndromes: molecular genetic revival of the chalone hypothesis.

Curr Opin Hematol. 2003 Jan;10(1):49-54.

PMID: 12483111 [PubMed - in process]

- ☐ 3: Osawa M, Yamazuchi T, Nakamura Y, Kaneko S, Onodera M, Sawada K, Jegalian A, Wu H, Nakauchi H, Iwama A. Related Articles Links

Erythroid expansion mediated by the Gfi-1B zinc finger protein: role in normal hematopoiesis.

Blood. 2002 Oct 15;100(8):2769-77.

PMID: 12351384 [PubMed - indexed for MEDLINE]

- ☐ 4: Zhu J, Guo L, Min B, Watson CJ, Hu-Li JJ, Young HA, Tsichlis PN, Paul WE. Related Articles Links

Growth factor independent-1 induced by IL-4 regulates Th2 cell proliferation.

Immunity. 2002 May;16(5):733-44.

PMID: 12049724 [PubMed - indexed for MEDLINE]

- ☐ 5: Wang L, Zou J, Cunningham C, Secombes CJ. Related Articles Links

Cloning and functional characterisation of the interleukin-1 beta 1 promoter of rainbow trout (*Oncorhynchus mykiss*).

Biochim Biophys Acta. 2002 May 3;1575(1-3):108-16.

PMID: 12020825 [PubMed - indexed for MEDLINE]

- ☐ 6: Cameron S, Clark SG, McDermott JB, Aarodt J, Horvitz HR. Related Articles Links

PAG-3, a Zn-finger transcription factor, determines neuroblast fate in *C. elegans*.

Development. 2002 Apr;129(7):1763-74.

PMID: 11923211 [PubMed - indexed for MEDLINE]

Karsunky H, Mende L, Schmidt L, Moroy F

Related Articles Links

7:

High levels of the onco-protein Gfi-1 accelerate T-cell proliferation and inhibit activation induced T-cell death in Jurkat T-cells

Oncogene. 2002 Feb 28;21(10):1571-9.

PMID: 11896586 [PubMed - indexed for MEDLINE]

8: Saleque S, Cameron S, Ozkin SH

[Related Articles](#) [Links](#)

The zinc-finger proto-oncogene Gfi-1b is essential for development of the erythroid and megakaryocytic lineages.

Genes Dev. 2002 Feb 1;16(3):301-6.

PMID: 11825872 [PubMed - indexed for MEDLINE]

9: Sakai I, Yamauchi H, Yasukawa M, Kohno H, Fujita S

[Related Articles](#) [Links](#)

Expression of the Gfi-1 gene in HTLV-1-transformed T cells.

Int J Hematol. 2001 Jun;73(4):507-16.

PMID: 11503967 [PubMed - indexed for MEDLINE]

10: Kasai S, Scott JG

[Related Articles](#) [Links](#)

A house fly gene homologous to the zinc finger proto-oncogene Gfi-1.

Biochem Biophys Res Commun. 2001 May 11;283(3):644-7.

PMID: 11341753 [PubMed - indexed for MEDLINE]

11: Mundt CA, Nicholson IC, Zou X, Popov AV, Ayling C, Bruggemann M

[Related Articles](#) [Links](#)

Novel control motif cluster in the IgH delta-gamma 3 interval exhibits B cell-specific enhancer function in early development

J Immunol. 2001 Mar 1;166(5):3315-23.

PMID: 11307787 [PubMed - indexed for MEDLINE]

12: Rodel B, Favassoli K, Karsunky H, Schmidt T, Bachmann M, Schaper F, Heinrich P, Shuai K, Elsasser HP, Moroy T

[Related Articles](#) [Links](#)

The zinc finger protein Gfi-1 can enhance STAT3 signaling by interacting with the STAT3 inhibitor PIAS3.

EMBO J. 2000 Nov 1;19(21):5845-55.

PMID: 11060035 [PubMed - indexed for MEDLINE]

13: Schmidt T, Karsunky H, Gau T, Zevnik B, Elsasser HP, Moroy T

[Related Articles](#) [Links](#)

Zinc finger protein GFI-1 has low oncogenic potential but cooperates strongly with pim and myc genes in T-cell lymphomagenesis.

Oncogene. 1998 Nov 19;17(20):2661-7.

PMID: 9840930 [PubMed - indexed for MEDLINE]

14: Schmidt T, Karsunky H, Rodel B, Zevnik B, Elsasser HP, Moroy T

[Related Articles](#) [Links](#)

Evidence implicating Gfi-1 and Pim-1 in pre-T-cell differentiation steps associated with beta-selection.

EMBO J. 1998 Sep 15;17(18):5349-59.

PMID: 9736613 [PubMed - indexed for MEDLINE]

15: van der Houven van Oordt CW, Schouten EG, van Krieken JH, van der Liden AL, Bredius ME, Dierendonck FH, van der Eb AJ, Breuer ME

[Related Articles](#) [Links](#)

X-ray-induced lymphomagenesis in E mu-pim-1 transgenic mice: an investigation of the co-operating molecular events.


Carcinogenesis. 1998 May;19(5):847-53.

PMID: 9635873 [PubMed - indexed for MEDLINE]

- ☐ **16:** Long B, Grimes HE, Yang LY, Bear SE, Qin Z, Da K, Li-Deiry WS, Related Articles Links
Ischlis PN.
The Gfi-1B proto-oncoprotein represses p21WAF1 and inhibits myeloid cell differentiation.
Mol Cell Biol. 1998 May;18(5):2462-73.
PMID: 9566867 [PubMed - indexed for MEDLINE]
- ☐ **17:** Euchs B, Wagner T, Rossel N, Antoine M, Beug H, Niessing J, Related Articles Links
Structure and erythroid cell-restricted expression of a chicken cDNA encoding a novel zinc finger protein of the Cys + His class.
Gene. 1997 Aug 22;195(2):277-84.
PMID: 9305773 [PubMed - indexed for MEDLINE]
- ☐ **18:** Jia Y, Xie G, McDermott JB, Amoldt J, Related Articles Links
The C. elegans gene pag-3 is homologous to the zinc finger proto-oncogene gfi-1.
Development. 1997 May;124(10):2063-73.
PMID: 9169852 [PubMed - indexed for MEDLINE]
- ☐ **19:** Roberts T, Cowell JK, Related Articles Links
Cloning of the human Gfi-1 gene and its mapping to chromosome region 1p22.
Oncogene. 1997 Feb 27;14(8):1003-5.
PMID: 9051000 [PubMed - indexed for MEDLINE]
- ☐ **20:** Liao X, Tang Y, Chattopadhyay SK, Hartley JW, Morse HC 3rd, Related Articles Links
Upregulation of Gfi-1, a gene involved in IL-2-independent growth of T cells, in a murine retrovirus-induced immunodeficiency syndrome.
In Vivo. 1997 Jan-Feb;11(1):9-12.
PMID: 9067766 [PubMed - indexed for MEDLINE]

Display Show: Sort Send to
Items 1-20 of 29 1 of 2 Next

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Search for ☒ Limits☐ Review only☐ History☐ Clipboard☐ Details

Advanced Search

Field: **Title/Abstract**

Text Version

Display

Show: Sort:

Send to

Items 21-29 of 29

Previous

Page

of 2

Entrez PubMed

Advanced Search

Indexing

Full Text

New Nucleotide

References

PubMed Services

PubMed Central

MeSH Browser

Single Citation Matcher

PubMed Central

Links

PubMed

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Indexing

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ **21:** Scheijen B, Jonkers J, Acton D, Berns A.[Related Articles](#) [Links](#)

Characterization of pal-1, a common proviral insertion site in murine leukemia virus-induced lymphomas of c-myc and Pim-1 transgenic mice. *J Virol*. 1997 Jan;71(1):9-16.

PMID: 8985317 [PubMed - indexed for MEDLINE]

☐ **22:** Grimes HL, Gilks CB, Chan TO, Porter S, Tsichlis PN.[Related Articles](#) [Links](#)

The Gfi-1 protooncprotein represses Bax expression and inhibits T-cell death.

Proc Natl Acad Sci U S A. 1996 Dec 10;93(25):14569-73.

PMID: 8962093 [PubMed - indexed for MEDLINE]

☐ **23:** Grimes HL, Chan TO, Zweidler-McKay PA, Tong B, Tsichlis PN.[Related Articles](#) [Links](#)

The Gfi-1 proto-oncoprotein contains a novel transcriptional repressor domain, SNAG, and inhibits G1 arrest induced by interleukin-2 withdrawal. *Mol Cell Biol*. 1996 Nov;16(11):6263-72.

PMID: 8887656 [PubMed - indexed for MEDLINE]

pines 4/27/16

☐ **24:** Zweidler-McKay PA, Grimes HL, Flubacher MM, Tsichlis PN.[Related Articles](#) [Links](#)

Gfi-1 encodes a nuclear zinc finger protein that binds DNA and functions as a transcriptional repressor.

Mol Cell Biol. 1996 Aug;16(8):4024-34.

PMID: 8754800 [PubMed - indexed for MEDLINE]

priority 4/17/16

☐ **25:** Scheijen B, Jonkers J, Acton D, Berns A.[Related Articles](#) [Links](#)

MoMuLV proviral integrations identified by Sup-F selection in tumors from infected myc pim bitransgenic mice correlate with activation of the gfi-1 gene.

Nucleic Acids Res. 1996 Jul 1;24(13):2528-34.

PMID: 8692692 [PubMed - indexed for MEDLINE]

☐ **26:** Zoung M, Schmidt T, Karsanky H, Grzeschitzek A, Moroy F.[Related Articles](#) [Links](#)

Zinc finger protein GFI-1 cooperates with myc and pim-1 in T-cell lymphomagenesis by reducing the requirements for IL-2.

Oncogene. 1996 Apr 18;12(8):1789-801.

PMID: 8622900 [PubMed - indexed for MEDLINE]

to determine if protein sequence

☐ **27:** Liao X, Buehler AM, Jenkin SA, Copeland NG.[Related Articles](#) [Links](#)

Evi-5, a common site of retroviral integration in AKND-1-cell lymphomas.


maps near Gfi-1 on mouse chromosome 5.
J Virol. 1995 Nov;69(11):7132-7.
PMID: 7474133 [PubMed - indexed for MEDLINE]

- ☐ **28:** Gilks CB, Porter SD, Barker C, Tsichlis PN, Gout PW. [Related Articles](#) [Links](#)
Prolactin (PRL)-dependent expression of a zinc finger protein-encoding gene, Gfi-1, in Nb2 lymphoma cells: constitutive expression in autonomous sublines.
Endocrinology. 1995 Apr;136(4):1805-8.
PMID: 7895694 [PubMed - indexed for MEDLINE]

- ☐ **29:** Gilks CB, Baur SL, Gimples III, Tsichlis PN. [Related Articles](#) [Links](#)
Progression of interleukin-2 (IL-2)-dependent rat T cell lymphoma lines to IL-2-independent growth following activation of a gene (Gfi-1) encoding a novel zinc finger protein.
Mol Cell Biol. 1993 Mar;13(3):1759-68.
PMID: 8441411 [PubMed - indexed for MEDLINE]

Display Show: Sort Send to
Items 21-29 of 29 Previous 2 of 2

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer



PubMed | Nucleotide | Entrez | Journals | Structure | CDD | Taxonomy | ATCC | A

Search **PubMed**

for **Gfi-1**

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: **Title**

Text Version

Display

Summary

Show: **20**

Sort

Send to

Text

Items 1-18 of 18

One page.

Entrez PubMed

Overview

Help/FAQ

Tutorial

New/Noteworthy

Features

PubMed Services

Journal Database

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Link Out

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ **1:** Hock H, Hamblen MJ, Rooke HM, Traver D, Bronson RL, Cameron S, Orkin SH. [Related Articles](#) [Links](#)

Intrinsic requirement for zinc finger transcription factor gfi-1 in neutrophil differentiation.

Immunity. 2003 Jan;18(1):109-20.

PMID: 12530980 [PubMed - in process]

- ☐ **2:** Karsunky H, Mende I, Schmidt T, Moroy T. [Related Articles](#) [Links](#)

High levels of the onco-protein Gfi-1 accelerate T-cell proliferation and inhibit activation induced T-cell death in Jurkat T-cells.

Oncogene. 2002 Feb 28;21(10):1571-9.

PMID: 11896586 [PubMed - indexed for MEDLINE]

- ☐ **3:** Sakai I, Yamauchi H, Yasukawa M, Kohno H, Fujita S. [Related Articles](#) [Links](#)

Expression of the Gfi-1 gene in HTLV-1-transformed T cells.

Int J Hematol. 2001 Jun;73(4):507-16.

PMID: 11503967 [PubMed - indexed for MEDLINE]

- ☐ **4:** Kasai S, Scott JG. [Related Articles](#) [Links](#)

A house fly gene homologous to the zinc finger proto-oncogene Gfi-1.

Biochem Biophys Res Commun. 2001 May 11;283(3):644-7.

PMID: 11341773 [PubMed - indexed for MEDLINE]

- ☐ **5:** Rodel B, Tavassoli K, Karsunky H, Schmidt T, Bachmann M, Schaper E, Heinrich P, Shuai K, Elsasner HP, Moroy T. [Related Articles](#) [Links](#)

The zinc finger protein Gfi-1 can enhance STAT3 signaling by interacting with the STAT3 inhibitor PIAS3.

EMBO J. 2000 Nov 1;19(21):5845-55.

PMID: 11060035 [PubMed - indexed for MEDLINE]

- ☐ **6:** Schmidt T, Karsunky H, Gau E, Zevnik B, Elsasner HP, Moroy T. [Related Articles](#) [Links](#)

Zinc finger protein GFI-1 has low oncogenic potential but cooperates strongly with pim and myc genes in T-cell lymphomagenesis

Oncogene. 1998 Nov 19;17(20):2661-7.

PMID: 9840930 [PubMed - indexed for MEDLINE]

- ☐ **7:** Schmidt T, Karsunky H, Rodel B, Zevnik B, Elsasner HP, Moroy T. [Related Articles](#) [Links](#)

Evidence implicating Gfi-1 and Pim-1 in pre-T-cell differentiation steps associated with beta-selection.

EMBO J. 1998 Sep 15;17(18):5349-59.

PMID: 9736613 [PubMed - indexed for MEDLINE]

- 8: Jia Y, Xie G, McDermott JB, Aamodt J. [Related Articles](#) [Links](#)
The *C. elegans* gene *pag-3* is homologous to the zinc finger proto-oncogene *gfi-1*.
Development. 1997 May;124(10):2063-73.
PMID: 9169852 [PubMed - indexed for MEDLINE]
- 9: Roberts T, Cowell JK. [Related Articles](#) [Links](#)
Cloning of the human *Gfi-1* gene and its mapping to chromosome region 1p22.
Oncogene. 1997 Feb 27;14(8):1003-5.
PMID: 9051000 [PubMed - indexed for MEDLINE]
- 10: Liao X, Tang Y, Chattopadhyay SK, Hartley JW, Morse HC 3rd. [Related Articles](#) [Links](#)
Upregulation of *Gfi-1*, a gene involved in IL-2-independent growth of T cells, in a murine retrovirus-induced immunodeficiency syndrome.
In Vivo. 1997 Jan-Feb;11(1):9-12.
PMID: 9067766 [PubMed - indexed for MEDLINE]
- 11: Grimes HL, Gilks CB, Chan IO, Porter S, Tsichlis PN. [Related Articles](#) [Links](#)
The *Gfi-1* protooncoprotein represses Bax expression and inhibits T-cell death.
Proc Natl Acad Sci U S A. 1996 Dec 10;93(25):14569-73.
PMID: 8962693 [PubMed - indexed for MEDLINE]
- 12: Grimes HL, Chan IO, Zweidler-McKay PA, Tong B, Tsichlis PN. [Related Articles](#) [Links](#)
The *Gfi-1* proto-oncoprotein contains a novel transcriptional repressor domain, SNAG, and inhibits G1 arrest induced by interleukin-2 withdrawal.
Mol Cell Biol. 1996 Nov;16(11):6263-72.
PMID: 8887656 [PubMed - indexed for MEDLINE]
- 13: Zweidler-McKay PA, Grimes HL, Flubacher MM, Tsichlis PN. [Related Articles](#) [Links](#)
Gfi-1 encodes a nuclear zinc finger protein that binds DNA and functions as a transcriptional repressor.
Mol Cell Biol. 1996 Aug;16(8):4024-34.
PMID: 8754800 [PubMed - indexed for MEDLINE]
- 14: Schmidt E, Zornig M, Repcke R, Moroy T. [Related Articles](#) [Links](#)
MoMuLV proviral integrations identified by Sup-F selection in tumors from infected myc pim bitransgenic mice correlate with activation of the *gfi-1* gene.
Nucleic Acids Res. 1996 Jul 1;24(13):2528-34.
PMID: 8692692 [PubMed - indexed for MEDLINE]
- 15: Zornig M, Schmidt E, Karsunky H, Grzeschliczek A, Moroy T. [Related Articles](#) [Links](#)
Zinc finger protein *Gfi-1* cooperates with myc and pim-1 in T-cell lymphomagenesis by reducing the requirements for IL-2.
Oncogene. 1996 Apr 18;12(8):1789-801.
PMID: 8622900 [PubMed - indexed for MEDLINE]
- 16: Liao X, Buchberg AM, Jenkins NA, Copeland NG. [Related Articles](#) [Links](#)
Evi-5, a common site of retroviral integration in AKND T-cell lymphomas, maps near *Gfi-1* on mouse chromosome 5.


J Virol. 1995 Nov;69(11):7132-7.
PMID: 7474133 [PubMed - indexed for MEDLINE]

- ☐ **17:** Gilks CB, Porter SD, Barker C, Tsichlis PN, Goat PW. [Related Articles](#) [Links](#)
Prolactin (PRL)-dependent expression of a zinc finger protein-encoding gene, Gfi-1, in Nb2 lymphoma cells: constitutive expression in autonomous sublines.
Endocrinology. 1995 Apr;136(4):1805-8.
PMID: 7895694 [PubMed - indexed for MEDLINE]

- ☐ **18:** Gilks CB, Bear SL, Grimes HL, Tsichlis PN. [Related Articles](#) [Links](#)
Progression of interleukin-2 (IL-2)-dependent rat T cell lymphoma lines to IL-2-independent growth following activation of a gene (Gfi-1) encoding a novel zinc finger protein.
Mol Cell Biol. 1993 Mar;13(3):1759-68.
PMID: 8441411 [PubMed - indexed for MEDLINE]

Display Show Sort Send to
Items 1-18 of 18 One page.

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Search for ☒ Limits[Review Index](#)[History](#)[Clipboard](#)[Details](#)[About this page](#)Field: **Title/Abstract**

Display

Show:

Sort

Send to

Items 1-2 of 2

One page.

[Entrez Home](#)[Overview](#)[Help Page](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)[PubMed Services](#)[Journals Link Set](#)[MESH Browser](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Caddy](#)[Related links & more](#)[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)☐ **1:** Sakai I, Yamauchi H, Yasukawa M, Kohno H, Fujita S.[Related Articles](#) [Links](#)

Expression of the Gfi-1 gene in HTLV-1-transformed T cells.

Int J Hematol. 2001 Jun;73(4):507-16.

PMID: 11503967 [PubMed - indexed for MEDLINE]

☐ **2:** Gilks CB, Bear SE, Grimes HL, Tsichlis PN.[Related Articles](#) [Links](#)

Progression of interleukin-2 (IL-2)-dependent rat T cell lymphoma lines to IL-2-independent growth following activation of a gene (Gfi-1) encoding a novel zinc finger protein.

Mol Cell Biol. 1993 Mar;13(3):1759-68.

PMID: 8441411 [PubMed - indexed for MEDLINE]

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer